ELSEVIER

Volume 487, Numbers 1–2, 8 February 1995

Journal of Organometallic Chemistry

Contents

Regular Papers

The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex, $[(Cp)IrCl(H_2O)_2][PF_6]$
S. Bodige and L.C. Porter (El Paso, TX, USA) 1

Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of $[K^+ \cdot 18\text{-crown-6}][Cr(CO)_5Cl]$, $[H_3O^+ \cdot 18\text{-crown-6}][W(CO)_5Cl]$, $[H_3O^+ \cdot 18\text{-crown-6}][W(CO)_4Cl_3]$, and $[H_2O \cdot bis\text{-}aza\text{-}18\text{-crown-6} \cdot (H^+)_2][W(CO)_4Cl_3]_2$
J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May (Columbia, MO, USA) 7

Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen
D. Hänssgen, A. Dörr, H. Hens und R. Jeske (Bonn, Deutschland) 17

Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination
J.W. Keister and E.J. Parsons (Clemson, SC, USA) 23

(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis
Y.-X. Chen, M.D. Rausch and J.C.W. Chien (Amherst, MA, USA) 29

The bromination of vinylboronic acids on alumina
D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni (Knoxville, TN, USA) 35

Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give β,γ unsaturated monoaldehydes
S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori (Pisa, Italy) 41

Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions
N.S. Barta, B.A. Kirk and J.R. Stille (East Lansing, MI, USA) 47

Diacetoxylation of nonconjugated dienes with TeO_2 and the isolation of intermediate organotellurium compounds
Y. Yoshimori, C.S. Cho and S. Uemura (Kyoto, Japan) 55

Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes
J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon (Thiais, France) 61

Formation and reactivity of the chloromethyl π-allyl complex $(\eta^5\text{-}C_5Me_5)Ru(\eta^3\text{-}C_3H_5)(CH_2Cl)Cl$
J.L. Hubbard and C.R. Zoch (Logan, UT, USA) 65

Synthesis and characterization of bifunctional *trans*-$(Ph_3P)_2Pt(CO_2Me)(X)$ complexes
R.K. Merwin and D.M. Roddick (Laramie, WY, USA) 69

The effects of an interannular bridge on the electronic structure of ferrocenium cations
T.-Y. Dong and S.-H. Lee (Kaohsuing, Taiwan) 77

A preparation of *N,N*-bis(trimethylsilyl)allenamines
R.F. Cunico and C.P. Kuan (DeKalb, IL, USA) 89

Reactions of transition-metal η^1-allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal–carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones
H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker (Winston–Salem, NC, USA) 95

Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)alkanes $R_2P(CH_2)_nPR_2$ (R = Ph, n = 1, 2 or 3; R = Me, n = 1 or 2): synthesis of bimetallic dibridged complexes $[Cp_2M(\mu\text{-}H)(\mu\text{-diphosphine})\text{-}M'(CO)_4]$ (M = Nb or Ta; M' = Cr, Mo or W)
G. Boni, P. Oudet and C. Moïse (Dijon, France) 105

The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate
K. Woo, P.G. Williard, D.A. Sweigart (Providence, RI, USA), N.W. Duffy, B.H. Robinson and J. Simpson (Dunedin, New Zealand) . . 111

Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column
T.E. Bitterwolf and T.L. Hubler (Moscow, ID, USA) 119

Kristallstruktur von $[Cp^*BBr][AlBr_4]$
C. Dohmeier, R. Köppe (Karlsruhe, Deutschland), C. Robl (Jena, Deutschland) und H. Schnöckel (Karlsruhe, Deutschland) 127

Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls
N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes (Brest, France) 131

The first solid-state structure of a mixed-anion ROLi/LiOH compound: $(^tBuOLi)_{10} \cdot (LiOH)_6$
C. Lambert, F. Hampel, P. Von Ragé Schleyer (Erlangen, Germany), M.G. Davidson and R. Snaith (Cambridge, UK) 139

Hydrosilylation of phenylacetylene catalyzed by $[Ir(COD)(\eta^2\text{-}^iPr_2PCH_2CH_2OMe)][BF_4]$
M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa (Zaragoza, Spain) 143

Preparation, fluxionality and some reactions of ring-linked $[Fe_2(\eta,\eta\text{-}C_5H_4\text{-}A\text{-}B\text{-}C_5H_4)(CO)_{4-n}(CNMe)_n]$ complexes
A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade (Dublin, Ireland), P.A. McArdle and D. Cunningham (Galway, Ireland) 151
Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with $[(\eta^5\text{-}C_5H_5)Fe(CO)_2]^-$ and $[(\eta^5\text{-}C_5H_5)W(CO)_3]^-$-anions
T.V. Magdesieva, I.I. Kukhareva, G.A. Artamkina, I.P. Beletskaya and K.P. Butin (Moscow, Russia) 163
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates
A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms (Bristol, UK) 167
N-[2-(4-Methoxyphenyltelluro)ethyl]phthalimide: synthesis and complexation with palladium(II)
R. Batheja, S.K. Dhingra and A.K. Singh (New Delhi, India) 173
Préparation de cations η^3-cyclopentadiényl-η^6-azobenzènes fer(1 +)
N. Guennec et C. Moinet (Rennes, France) 177
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid]
M. Westerhausen und A. Pfitzner (Stuttgart, Deutschland) 187
Unusual mixed metal cluster reactions: formation of the mixed metal chain $Rh_2Ru_3(CO)_{10}(\mu\text{-}SEt)_8$
S. Jääskeläinen, J. Pursiainen and T.A. Pakkanen (Joensuu, Finland) 197
New synthesis of μ-allenylidene complexes from dimolybdenum carbenium ions crystal structure of $[(Mo(\eta^5\text{-}C_5H_5)(CO)_2)_2(\mu,\eta^2\text{-}C{=}C{=}C_6H_{10})]$
J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat (Brest, France) and P. L'Haridon (Rennes, France) 201
Synthesis and spectroscopic characterization of 3,5-diaryl-*cyclo*-1,2,4-trithia-3,5-diborolanes, $Ar_2B_2S_3$ (Ar = Ph, 2-MeC_6H_4, 3-MeC_6H_4, 4-MeC_6H_4, 4-EtC_6H_4, 3,5-$Me_2C_6H_3$), and some related chemistry of boron-sulphur heterocyclic species
M.A. Beckett and P.R. Minton (Bangor, UK) 209
Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and ^1H, ^{13}C, ^{17}O and ^{29}Si NMR spectroscopic characterization
E. Kolehmainen, K. Laihia, J. Korvola (Jyväskylä, Finland), V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina (Moscow, Russian Federation) 215
Synthese und Eigenschaften von 1,1,2,2-Tetrachlor- und 1,1,2,2-Tetrafluordisilan
K. Hassler und W. Köll (Graz, Österreich) 223
Palladium(II) and platinum(II) complexes formed from C_6H_4-1,3-$(CH_2PCy_2)_2$ (Cy = Cyclohexyl); crystal and molecular structures of $[PdX\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$, X = Cl and Br
R.J. Cross, A.R. Kennedy and K.W. Muir (Glasgow, UK) 227
Synthese, Struktur und Eigenschaften neuer Übergangsmetallkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens
P. Müller, B. Gangnus, H. Pritzkow, H. Schulz, M. Stephan und W. Siebert (Heidelberg, Germany) 235
Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von $Tl(C_5H_3Ph_2)(THF)$ und $Fe(C_5H_3Ph_2)_2$
H. Schumann, A. Lentz und R. Weimann (Berlin, Deutschland) 245
A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1 +) hexafluorophosphate(1 −)
D.K. Astley and S.T. Astley (Bornova-Izmir, Turkey) 253
The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study
A. Ashworth and P.G. Harrison (Nottingham, UK) 257
Optical absorption study of "half-open ferrocene" and "open ferrocene"
S.Yu. Ketkov (Nizhny Novgorod, Russian Federation), W. Trakarnpruk and R.D. Ernst (Salt Lake City, UT, USA) 263
Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates
R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár (Budapest, Hungary) 267
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane
W. Adam and R.M. Schuhmann (Würzburg, Germany) 273

Preliminary Communications
X-ray crystal structure of $[FeRh(CO)_6(\mu\text{-}P^tBu_2)]$(Fe–Rh): a molecule with two semibridging carbonyl ligands
H. Hartung, A. Krug and H.-C. Böttcher (Halle/Saale, Deutschland) C1
Surprising stability of a monomeric bis azide of gallium(III)
A.H. Cowley, F.P. Gabbaï, F. Olbrich, S. Corbelin and R.J. Lagow (Austin, TX, USA) C5
Formation, Structure, Spectra, and Reactivity of the Adduct between (η^5-Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate
M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori (Tokyo, Japan), K. Aoki and H. Yamazaki (Saitama, Japan) C8
Preparation, isolation and chemical reactivity of the α-CF_3-propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster
M.A. Kondratenko, B. Malézieux, M. Gruselle (Paris, France), D. Bonnet-Delpon and J.P. Bégué (Chatenay-Malabry, France) C15
Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex $Li[Cp_2Y(FcN)_2]$ (FcN = 2-Dimethylaminomethylferrocenyl)
K. Jacob (Merseburg, Germany), M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelmann (Göttingen, Germany) C18
Synthesis, characterisation and fluxional behaviour of $[Ni(\eta^5\text{-}P_2C_3Bu^t_3)(\eta^3\text{-}P_2C_3Bu^t_3)]$
F.G.N. Cloke, K.R. Flower, C. Jones (Brighton, UK), R.M. Matos (Belo Horizonte, Brazil) and J.F. Nixon (Brighton, UK) C21
Synthesis and characterization of [pyRh(salen)adam], an adamantyl Rh^{III} complex containing bis(salicylaldehyde)ethylendiiminate as equatorial ligand
R. Dreos-Garlatti (Trieste, Italy), S. Geremia (Ancona, Italy), L. Randaccio, S. Ruffini and G. Tauzher (Trieste, Italy) C24

Book Reviews C27

Erratum C29

Conference Calendar C30

Author Index C32

Subject Index C34

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.